

OCP

# INFORMATION REPORT INFORMATION REPORT

## CENTRAL INTELLIGENCE AGENCY

This material contains information affecting the National Defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C. Secs. 793 and 794, the transmission or revelation of which in any manner to an unauthorized person is prohibited by law.

S-E-C-R-E-T

25X1

COUNTRY East Germany

REPORT

SUBJECT Arrival of Soviet Military Equipment  
in Rostock

DATE DISTR.

25 JUL 1968

NO. PAGES

1

REFERENCES

RD

PROCESSING COPY

25X1

DATE OF  
INFO.

PLACE &  
DATE ACQ.

SOURCE EVALUATIONS ARE DEFINITIVE. APPRAISAL OF CONTENT IS TENTATIVE.

25X1

information on the arrival of Soviet military equipment, ZIS-151's  
and tanks, at the Ulmen Caserne in Rostock. A sketch of one of the tanks  
is also included.

25X1

S-E-C-R-E-T

25X1

STATE	ARMY	NAVY	AIR	FBI	AEC				

(Note: Washington distribution indicated by "X"; Field distribution by "#".)

# INFORMATION REPORT INFORMATION REPORT

**SECRET**



25X1




25X1

EAST GERMANY

MILITARY

Soviet activity at ROSTOCK

(15 Jun 58)

1. On 15 Jun 58 at 2130 hours a Russian military train was being off-loaded at ROSTOCK station. The equipment was taken to the barracks in the ULMEN Strasse  and consisted as follows:


25X1

- (a) 5 x ZIS-151, each with a crew of 8-10 troops, and towing 107 mm. recoilless A/T guns.
- (b) 6 x ZIS-151, each with a crew of 8-10 troops, and towing 85 mm. A/T guns.
- (c) 4 x tanks.

2. The tanks are described as follows:

- (a) 5 - 5.5 metres long.
- (b) Total height approximately 2 metres.
- (c) Five bogey wheels and three top rollers.
- (d) Two hatches in front glacis plate.
- (e) The turret was low and at the back joined the hull in a straight line.
- (f) Gun - 2 - 2.5 metres long.
- (g) No machine gun mounted on turret.

3. The Ulmen Strasse Kaserne is now fully occupied by Russian troops. No Russian units have left ROSTOCK since March 1958.



**SECRET CONTROL**  
**U.S. OFFICIALS ONLY**

*CS COPY*

25X1

**SECRET**

LOWJET- ARMEE : ROSTOCK.

Quelle: CIA 8-711


Turmruhrwand und  
Wulstwand in einer  
abreißbaren Linie

hohle Luftkammer  
Zumündung nicht erhöht  
kein MG, auch keine  
Halterung für MG

Kuppelblende

Rohr wenig verschleiß; Länge ca 2,5-3 m

seitlich und vorn abgerundete  
Mündung; vorn mit 2 vertikal  
Laternen für die Nebelbeleuchtung



Mündungsbremse wie  
FS-2 oder FS-3

Bugplatte wie bei FS-3  
(vorn zugespitzt)

Kettenantriebswerk  
mit 5 Laufrollen u. 3 Gleitrollen

ca 5-5,5 m

SECRET

25X1

SECRET  
CONFIDENTIAL  
U.S. OFFICIALS ONLY